

VALVE IDENTIFICATION CHART

Refer Head Diameter to Progressive Size Chart

Melling PartNo.	Head Diameter	Valve	Material Used
V0131	1.359	Exh.	High Alloy Steel
V0132	1.484	Int.	Steel
V0155	1.438	Int.	Steel
V0159	1.594	Exh.	High Alloy Steel
V0160	1.718	Int.	Steel
V0162	1.342	Int.	Steel
V0168	1.500	Exh.	High Alloy Steel
V0169	1.688	Int.	Steel
V0170	1.203	Exh.	High Alloy Steel
V0173	1.280	Exh.	High Alloy Steel
V0183	1.539	Exh.	High Alloy Steel
V0192	1.500	Int.	Steel
V0196	1.328	Exh.	High Alloy Steel
V0203	1.656	Exh.	High Alloy Steel
V0205	1.375	Exh.	High Alloy Steel
V0210	1.328	Exh.	High Alloy Steel
V0211	1.520	Int.	Steel
V0220	1.281	Exh.	High Alloy Steel
V0230	1.094	Int.	Steel
V0234	1.015	Int. & Exh	High Alloy Steel
V0249	1.313	Exh.	High Alloy Steel
V0250	1.015	Exh.	High Alloy Steel
V0251	1.203	Int.	Steel
V0269	1.328	Int.	Steel
V0270	1.281	Exh.	High Alloy Steel
V0285	0.890	Exh.	High Alloy Steel
V0308	1.875	Int.	Steel
V0312	1.156	Exh.	High Alloy Steel
V0313	1.342	Int.	Steel
V0321	1.406	Int.	Steel
V0323	1.313	Int.	Steel
V0327	1.584	Exh.	High Alloy Steel
V0335	1.562	Exh.	Steel
V0343	1.278	Int.	Steel
V0348	1.515	Exh.	High Alloy Steel
V0361	1.328	Exh.	High Alloy Steel
V0375	1.510	Exh.	High Alloy Steel
V0376	1.647	Int.	High Alloy Steel
V0397	1.777	Exh.	Sodium Cooled
V0399	1.720	Int.	Steel
V0400	1.500	Exh.	High Alloy Steel
V0411	1.588	Exh.	Super Alloy-nickel
V0412	1.616	Exh.	Stellite
V0485	0.906	Exh.	High Alloy Steel
V0489	1.015	Int. & Exh	High Alloy Steel
V0494	1.925	Int.	Steel
V0503	1.312	Exh.	High Alloy Steel
V0504	1.500	Int.	Steel
V0512	2.157	Int.	High Alloy Steel
V0530	1.635	Exh.	Sodium Cooled
V0531	2.020	Int.	Head Coated With Special Alloy
V0548	2.080	Int.	Steel
V0550	1.787	Int.	Steel
V0559	1.609	Exh.	Stellite
V0560	1.969	Int.	Steel
V0564	1.264	Exh.	High Alloy Steel
V0567	1.620	Int.	Steel
V0576	1.500	Exh.	N/A
V0577	1.880	Int.	High Alloy Steel

Melling PartNo.	Head Diameter	Valve	Material Used
V0578	1.563	Exh.	High Alloy Steel
V0580	1.565	Exh.	Stellite
V0592	1.300	Exh.	High Alloy Steel
V0596	1.203	Exh.	Stellite
V0597	1.328	Int.	Steel
V0602	1.875	Exh.	High Alloy Steel
V0608	1.513	Exh.	High Alloy Steel
V0609	1.644	Int.	High Alloy Steel
V0637	2.032	Int.	Steel
V0658	1.500	Exh.	High Alloy Steel
V0659	1.688	Int.	Steel
V0678	1.736	Int.	Steel
V0679	1.484	Exh.	High Alloy Steel
V0686	1.500	Exh.	High Alloy Steel
V0690	1.403	Exh.	High Alloy Steel
V0691	1.604	Int.	Steel
V0696	1.940	Int.	Steel
V0707	1.825	Exh.	Sodium Cooled
V0724	1.500	Exh.	High Alloy Steel
V0739	1.563	Exh.	High Alloy Steel
V0742	1.450	Exh.	High Alloy Steel
V0758	1.400	Exh.	High Alloy Steel
V0759	1.090	Exh.	High Alloy Steel
V0793	1.395	Exh.	High Alloy Steel
V0794	1.512	Int.	Steel
V0810	1.516	Int.	Steel
V0824	1.015	Exh.	Stellite
V0825	1.203	Int.	Steel
V0837	1.203	Exh.	Stellite
V0867	1.641	Int.	Steel
V0873	1.316	Exh.	High Alloy Steel
V0874	1.534	Int.	Steel
V0882	1.440	Exh.	High Alloy Steel
V0912	1.455	Int.	Steel
V0917	1.505	Exh.	Sodium Cooled
V0918	1.752	Int.	High Alloy Steel
V0919	1.600	Exh.	High Alloy Steel
V0921	1.375	Exh.	High Alloy Steel
V0922	1.679	Int.	Steel
V0945	1.516	Int.	Steel
V0947	1.780	Int.	Steel
V0949	1.752	Int.	Steel
V0963	1.779	Int.	Steel
V0965	1.559	Exh.	Stellite
V0969	1.875	Int.	Steel
V0970	1.562	Exh.	High Alloy Steel
V0974	1.624	Exh.	High Alloy Steel
V0976	1.375	Exh.	High Alloy Steel
V0981	1.540	Exh.	Stellite
V0988	2.020	Int.	Steel
V0989	1.375	Exh.	High Alloy Steel
V0996	1.660	Exh.	Stellite
V0997	1.840	Int.	High Alloy Steel
V1000	1.450	Exh.	High Alloy Steel
V1001	1.780	Int.	Steel
V1017	1.500	Exh.	Stellite
V1026	1.882	Exh.	Stellite
V1041	1.250	Exh.	High Alloy Steel
V1045	1.406	Exh.	High Alloy Steel
V1046	1.787	Int.	Steel

VALVE IDENTIFICATION CHART (Cont.)

Refer Head Diameter to Progressive Size Chart

Melling PartNo.	Head Diameter	Valve	Material Used
V1047	1.625	Exh.	High Alloy Steel
V1048	2.025	Int.	Steel
V1055	1.375	Exh.	High Alloy Steel
V1057	1.752	Int.	Head Coated With Special Alloy
V1073	1.438	Int.	Steel
V1074	1.805	Exh.	Stellite
V1075	1.516	Exh.	Stellite
V1077	2.110	Int.	Steel
V1080	1.840	Exh.	High Alloy Steel
V1081	1.500	Exh.	High Alloy Steel
V1082	1.875	Int.	Steel
V1083	1.625	Exh.	High Alloy Steel
V1097	1.770	Exh.	High Alloy Steel
V1098	2.110	Int.	Steel
V1102	1.653	Exh.	High Alloy Steel
V1104	1.625	Exh.	High Alloy Steel
V1105	2.000	Int.	Steel
V1106	1.1720	Exh.	High Alloy Steel
V1107	2.065	Int.	Steel
V1119	1.567	Exh.	High Alloy Steel
V1120	1.779	Int.	Stainless
V1133	1.734	Exh.	Stellite
V1135	1.452	Exh.	High Alloy Steel
V1136	2.300	Int.	High Alloy Steel
V1137	1.781	Int.	Steel
V1147	1.203	Exh.	High Alloy Steel
V1148	1.516	Int.	High Alloy Steel
V1152	2.078	Int.	High Alloy Steel
V1153	1.660	Exh.	Steel
V1156	1.740	Exh.	High Alloy Steel
V1157	2.080	Int.	Steel
V1158	1.770	Exh.	
V1161	2.110	Int.	Steel
V1164	2.190	Int.	High Alloy Steel
V1165	1.725	Exh.	High Alloy Steel
V1166	2.245	Int.	High Alloy Steel
V1173	1.710	Exh.	High Alloy Steel
V1174	2.192	Int.	High Alloy Steel
V1177	1.559	Exh.	Stellite
V1179	1.680	Exh.	High Alloy Steel
V1180	1.880	Int.	High Alloy Steel
V1181	1.375	Exh.	Stellite
V1182	1.625	Int.	Head Coated w/Alloy
V1186	1.811	Int.	Steel
V1192	1.500	Exh.	High Alloy Steel
V1195	1.940	Int.	Steel
V1199	1.418 (36.02MM)	Exh.	High Alloy Steel
V1200	1.653 (41.99MM)	Int.	Steel
V1205	1.896	Exh.	Stellite
V1212	1.622	Exh.	High Alloy Steel
V1217	1.508	Exh.	Stellite
V1221	2.250	Int.	High Alloy Steel
V1229	1.725	Exh.	High Alloy Steel
V1230	2.200	Int.	High Alloy Steel
V1233	1.575	Exh.	High Alloy Steel
V1235	1.660	Exh.	Super Alloy (nickel)
V1237	1.543	Exh.	High Alloy Steel

Melling PartNo.	Head Diameter	Valve	Material Used
V1238	1.844	Int.	Steel
V1242	1.558	Exh.	High Alloy Steel
V1243	1.239 (31.47MM)	Exh.	Stellite
V1244	1.504 (38.20MM)	Int.	Steel
V1245	1.660	Exh.	High Alloy Steel
V1254	1.913	Exh.	Sodium Cooled
V1257	1.682	Exh.	High Alloy Steel
V1258	2.025	Int.	High Alloy Steel
V1260	1.787	Int.	Steel
V1261	1.720	Exh.	Stellite
V1263	1.875	Int.	Steel
V1266	1.388	Exh.	High Alloy Steel
V1268	1.649	Int.	Steel
V1269	1.655	Exh.	High Alloy Steel
V1270	2.041	Int.	High Alloy Steel
V1271	1.653	Exh.	High Alloy Steel
V1272	2.083	Int.	High Alloy Steel
V1281	1.740	Exh.	Head Coated With Special All
V1282	2.080	Int.	High Alloy Steel
V1285	1.573 (39.95MM)	Int.	Steel
V1288	1.714	Exh.	High Alloy Steel
V1289	1.898	Int.	Steel
V1294	1.500	Exh.	Stellite
V1297	1.406	Exh.	High Alloy Steel
V1300	1.271 (32.99MM)	Exh.	Steel
V1301	1.805	Exh.	Stellite
V1304	1.739 (44.17MM)	Int.	Steel
V1307	1.600	Exh.	High Alloy Steel
V1308	1.500	Exh.	High Alloy Steel
V1309	1.600	Exh.	High Alloy Steel
V1312	1.518	Exh.	Stellite
V1322	1.300	Exh.	High Alloy Steel
V1323	1.522	Int.	Steel
V1324	1.622	Exh.	High Alloy Steel
V1325	1.406	Exh.	High Alloy Steel
V1327	1.461	Exh.	High Alloy Steel
V1328	1.782	Int.	Steel
V1329	1.500	Exh.	High Alloy Steel
V1332	1.508	Exh.	High Alloy Steel
V1336	1.902	Int.	Head Coated With Special Alloy
V1337	1.375	Exh.	Stellite
V1338	1.620	Int.	Steel
V1340	1.550	Exh.	High Alloy Steel
V1342	1.260 (32.00MM)	Exh.	Stellite
V1343	1.535 (38.99MM)	Int.	Steel
V1348	1.752	Int.	High Alloy Steel
V1349	1.752	Int.	Head Coated With Special Alloy
V1353	1.625	Int.	Steel
V1354	1.502	Exh.	High Alloy Steel
V1355	2.157	Int.	High Alloy Steel

VALVE IDENTIFICATION CHART (Cont.)

Refer Head Diameter to Progressive Size Chart

Melling PartNo.	Head Diameter	Valve	Material Used
V1357	1.753	Int.	Steel
V1359	1.500	Exh.	High Alloy Steel
V1360	1.720	Int.	Steel
V1361	1.500	Exh.	High Alloy Steel
V1362	1.720	Int.	Steel
V1363	1.425	Exh.	High Alloy Steel
V1366	1.380	Exh.	High Alloy Steel
V1367	1.655	Exh.	High Alloy Steel
V1370	1.875	Int.	High Alloy Steel
V1371	1.380	Exh.	High Alloy Steel
V1372	1.600	Int.	Steel
V1375	1.715	Exh.	High Alloy Steel
V1378	1.804	Exh.	High Alloy Steel
V1380	2.040	Int.	High Alloy Steel
V1382	1.783	Int.	High Alloy Steel
V1383	1.562	Exh.	Sodium Cooled
V1384	1.783	Int.	Stellite
V1385	1.672	Exh.	Sodium Cooled
V1386	2.065	Int.	Head Coated With Special Alloy
V1388	1.710	Int.	Steel
V1389	1.500	Exh.	High Alloy Steel
V1393	1.840	Int.	Steel
V1394	1.307 (33.20MM)	Exh.	High Alloy Steel
V1395	1.600 (40.64MM)	Int.	Steel
V1397	1.500	Exh.	High Alloy Steel
V1398	1.737 (44.12MM)	Int.	High Alloy Steel
V1399	1.500	Exh.	High Alloy Steel
V1401	1.600	Exh.	High Alloy Steel
V1403	1.715	Int.	High Alloy Steel
V1416	1.682	Int.	Steel
V1417	1.616	Exh.	High Alloy Steel
V1419	1.518	Exh.	Steel
V1422	1.600	Exh.	Stellite
V1431	1.535	Exh.	Stellite
V1432	2.054	Int.	High Alloy Steel
V1433	1.500	Exh.	High Alloy Steel
V1434	1.750	Int.	Steel
V1437	1.500	Exh.	High Alloy Steel
V1438	1.720	Int.	Steel
V1439	1.380	Exh.	High Alloy Steel
V1440	1.600	Int.	Steel
V1442	1.787	Int.	Steel
V1448	1.394	Exh.	High Alloy Steel
V1449	1.598 (40.59MM)	Int.	Steel
V1450	1.750 (44.45MM)	Int.	Steel
V1451	1.457	Exh.	High Alloy Steel
V1452	1.654	Int.	High Alloy Steel
V1453	1.462	Exh.	High Alloy Steel
V1457	1.995	Int.	Steel
V1462	1.770	Int.	Stellite
V1463	1.301 (33.05MM)	Exh.	High Alloy Steel
V1464	1.534 (38.96MM)	Int.	High Alloy Steel

Melling PartNo.	Head Diameter	Valve	Material Used
V1465	1.378	Exh.	High Alloy Steel
V1466	1.600	Int.	Steel
V1469	1.463	Exh.	High Alloy Steel
V1470	1.782	Int.	Steel
V1479	1.910	Int.	Steel
V1480	1.425	Exh.	High Alloy Steel
V1481	1.718 (43.64MM)	Int.	Steel
V1482	1.495	Exh.	Stellite
V1483	1.653	Exh.	Stellite
V1484	1.811	Int.	High Alloy Steel
V1485	1.379	Exh.	Stellite
V1486	1.613	Int.	Steel
V1494	1.500	Exh.	High Alloy Steel
V1495	1.750	Int.	Steel
V1500	1.180	Exh.	High Alloy Steel
V1504	1.560	Exh.	High Alloy Steel
V1505	1.783	Int.	Steel
V1507	2.074	Int.	Steel
V1527	1.383	Exh.	High Alloy Steel
V1528	1.610	Int.	Steel
V1535	1.371	Exh.	High Alloy Steel
V1536	1.661	Int.	Steel
V1537	1.448	Exh.	High Alloy Steel
V1538	1.782	Int.	Steel
V1540	1.394	Exh.	High Alloy Steel
V1541	1.598	Int.	Steel
V1542	1.595	Exh.	High Alloy Steel
V1543	1.877	Int.	High Alloy Steel
V1545	1.339	Exh.	High Alloy Steel
V1546	1.535	Int.	Steel
V1547	1.653	Exh.	Super Alloy (Nickel)
V1548	1.982	Int.	High Alloy Steel
V1549	1.505	Exh.	High Alloy Steel
V1550	1.500	Exh.	High Alloy Steel
V1551	1.720	Int.	Steel
V1552	1.394	Exh.	High Alloy Steel
V1553	1.598	Int.	Steel
V1554	1.394	Exh.	Super Alloy (Nickel)
V1555	1.598	Int.	Steel
V1556	1.500	Exh.	High Alloy Steel
V1557	1.910	Int.	Steel
V1558	1.299	Exh.	High Alloy Steel
V1559	1.535	Int.	Steel
V1561	1.718	Int.	Steel
V1568	1.457	Exh.	High Alloy Steel
V1569	1.693	Int.	Steel
V1578	1.720	Exh.	Stellite
V1591	1.500	Exh.	High Alloy Steel
V1592	1.720	Int.	Steel
V1593	1.500	Exh.	High Alloy Steel
V1594	1.770	Int.	Steel
V1646	1.500	Exh.	Super Alloy (Nickel)
V1648	1.727	Exh.	High Alloy Steel
V1649	1.924	Int.	Steel
V1670	1.470	Exh.	High Alloy Steel
V1671	1.791	Int.	Steel
V1673	1.400	Int.	Steel
V1674	1.181	Exh.	High Alloy Steel
V1675	1.600	Exh.	High Alloy Steel

VALVE IDENTIFICATION CHART (Cont.)

Refer Head Diameter to Progressive Size Chart

Melling PartNo.	Head Diameter	Valve	Material Used
V1698	1.340	Exh.	High Alloy Steel
V1699	1.750	Int.	Steel
V1703	1.437	Int.	Steel
V1704	1.456	Exh.	N/A
V1705	1.732	Int.	Steel
V1710	1.487	Exh.	High Alloy Steel
V1711	1.710	Int.	Steel
V1714	1.920	Int.	Steel
V1715	1.624	Exh.	High Alloy Steel
V1723	2.083	Int.	N/A
V1726	1.441	Int.	Steel
V1727	1.239	Exh.	Steel
V1730	1.370	Int.	N/A
V1731	1.200	Exh.	N/A
V1736	1.732	Int.	Steel
V1737	1.457	Exh.	Steel
V1741	1.309	Int.	Steel
V1742	1.130	Exh.	N/A
V1746	1.102	Exh.	N/A
V1780	1.535	Exh.	Steel
V1785	1.680	Int.	Steel
V1786	1.680	Exh.	Steel
V1789	1.860	Int.	N/A
V1790	1.782	Int.	N/A
V1791	1.452	Exh.	N/A
V1807	1.500	Exh.	N/A
V1832	1.6535	Exh.	High Alloy Steel
V1898	1.260	INT	
V1902	1.732	Int.	N/A
V1903	1.457	Exh.	N/A
V1913	1.811	INT	
V1914	1.535	EXH	
V1916	1.910	Int.	Steel
V1917	1.50	Exh.	Steel
V1918	1.915	Int.	Steel
V1919	1.518	Exh.	
V1920	1.331	Int.	Steel
V1921	1.095	Exh.	High Alloy Steel
V1931	1.940	Int.	Steel
V1934	1.890	Int.	Steel
V1935	1.550	Exh.	Steel
V1937	1.398	Int.	N/A
V1941	1.142	Exh.	N/A
V1949	1.272	INTAKE	N/A
V1991	1.309	Int.	
V1992	1.130	Exh.	Steel
V1993	1.890	INT	
V1994	1.398	EXH	
V2006	1.378	Int.	
V2007	1.181	Exh.	
V2044	1.732	INT	
V2101	2.187	Int.	Steel
V2118	1.331	Int.	
V2119	1.467	Exh.	
V2126	1.720	Exh.	Steel
V5002	1.181 (30.00MM)	Exh.	Stellite
V5005	1.397	Int.	High Alloy Steel
V5006	1.226 (31.27 MM)	Exh.	Stellite

Melling PartNo.	Head Diameter	Valve	Material Used
V5007	1.333 (33.86MM)	Int.	High Alloy Steel
V5009	1.298	Exh.	Stellite
V5010	1.495	Int.	Steel
V5011	1.296	Exh.	Stellite
V5014	1.303 (33.10MM)	Exh.	Stellite
V5015	1.658 (42.11MM)	Int.	High Alloy Steel
V5017	1.616	Int.	High Alloy Steel
V5024	1.419 (36.00MM)	Exh.	Stellite
V5031	1.463 (37.16MM)	Int.	High Alloy Steel
V5033	1.181 (30.00MM)	Exh.	Stellite
V5036	1.384 (35.20MM)	Exh.	Stellite
V5037	1.417 (35.99MM)	Exh.	Stellite
V5046	1.335	Exh.	High Alloy Steel
V5048	1.696 (43.08MM)	Int.	Steel
V5049	1.575	Int.	High Alloy Steel
V5057	1.186 (30.12MM)	Exh.	Stellite
V5058	1.339 (34.01MM)	Int.	High Alloy Steel
V5060	1.300 (33.02MM)	Exh.	Stellite
V5061	1.654 (42.01MM)	Int.	High Alloy Steel
V5064	1.377 (34.98MM)	Exh.	High Alloy Steel
V5065	1.693 (43.00MM)	Int.	High Alloy Steel
V5066	1.417 (35.99MM)	Int.	High Alloy Steel
V5068	1.259 (31.98MM)	Exh.	Stellite
V5070	1.810	Int.	Steel
V5071	1.417 (35.99MM)	Exh.	High Alloy Steel
V5076	1.496 (38.00MM)	Int.	High Alloy Steel
V5078	1.378 (35.00MM)	Int.	High Alloy Steel
V5079	1.296 (32.92MM)	Exh.	High Alloy Steel
V5080	1.103 (28.02MM)	Exh.	Stellite
V5081	1.102 (27.99MM)	Exh.	Stellite
V5082	1.339 (34.01MM)	Int.	Steel
V5083	1.220	Exh.	High Alloy Steel
V5084	1.300	Exh.	High Alloy Steel
V5085	1.494	Int.	High Alloy Steel
V5086	1.336 (33.93MM)	Exh.	High Alloy Steel

VALVE IDENTIFICATION CHART (Cont.)

Refer Head Diameter to Progressive Size Chart

Melling PartNo.	Head Diameter	Valve	Material Used
V5087	1.668 (42.37MM)	Int.	Steel
V5088	1.691(42.95MM)	Int.	High Alloy Steel
V5089	1.240	Exh.	Stellite
V5091	1.496 (38.00MM)	Exh.	High Alloy Steel
V5092	1.811 (46.00MM)	Int.	High Alloy Steel
V5093	1.336 (33.93MM)	Exh.	High Alloy Steel
V5094	1.588 (40.34MM)	Int.	Steel
V5097	1.181	Exh.	High Alloy Steel
V5098	1.250	Int.	High Alloy Steel
V5099	1.220	Int.	Steel
V5100	1.339	Exh.	Stellite
V5101	1.535	Int.	Steel
V5102	1.181	Exh.	Stellite
V5103	1.417	Int.	Stellite
V5104	1.220	Exh.	High Alloy Steel
V5105	1.415	Int.	Steel
V5106	1.220	Exh.	High Alloy Steel
V5107	1.417	Int.	High Alloy Steel
V5109	1.378 (35.00MM)	Int.	High Alloy Steel
V5112	1.377	Int.	High Alloy Steel
V5113	1.181 (30.00MM)	Exh.	Stellite
V5115	1.256	Int.	N/A
V5116	1.437	Exh.	High Alloy Steel
V5117	1.690	Int.	Steel
V5118	1.261	Int.	Steel
V5119	1.102	Exh.	Stellite
V5126	1.337	Int.	Steel
V5127	1.496	Int.	Steel
V5128	1.198	Exh.	High Alloy Steel
V5129	1.218	Exh.	High Alloy Steel
V5136	1.379	Int.	N/A
V5140	1.337	Exh.	High Alloy Steel
V5141	1.693	Int.	Steel
V5142	1.378	Exh.	High Alloy Steel
V5143	1.811	Int.	Steel
V5145	1.811	Int.	Steel
V5146	1.496	Exh.	High Alloy Steel
V5147	1.690	Int.	Steel
V5154	1.495	Int.	Steel
V5155	1.260	Exh.	High Alloy Steel
V5157	1.220	Int.	Steel
V5159	1.031	Exh.	Steel
V5160	1.614	Int.	Steel
V5161	1.417	Exh.	High Alloy Steel
V5162	1.280	Int.	Steel
V5163	1.339	Exh.	High Alloy Steel
V5164	1.339	Exh.	High Alloy Steel
V5167	1.380	Int.	Steel
V5168	1.180	Exh.	High Alloy Steel
V5169	1.500	Int.	Steel
V5170	1.102	Exh.	High Alloy Steel
V5173	1.278	Exh.	High Alloy Steel

Melling PartNo.	Head Diameter	Valve	Material Used
V5176	1.201	Int.	Steel
V5177	1.005	Exh.	High Alloy Steel
V5178	1.160	Int.	Steel
V5179	1.102	Int.	Steel
V5180	1.042	Exh.	High Alloy Steel
V5181	1.259	Exh.	High Alloy Steel
V5182	1.496	Int.	Steel
V5183	1.220	Exh.	High Alloy Steel
V5184	1.417	Int.	High Alloy Steel
V5185	1.260	Exh.	Stellite
V5186	1.181	Int.	High Alloy Steel
V5187	1.141	Exh.	Stellite
V5188	1.063	Int.	Steel
V5190	1.150	Int.	Steel
V5192	1.181	Int.	Steel
V5194	1.379	Exh.	High Alloy Steel
V5198	1.142	Exh.	High Alloy Steel
V5210	1.220	Exh.	High Alloy Steel
V5214	1.496	Int.	Steel
V5215	1.260	Exh.	Stellite
V5216	1.575	Int.	Steel
V5222	1.736	Int.	Steel
V5224	1.180	Int.	N/A
V5225	1.425	Exh.	High Alloy Steel
V5228	1.338	Int.	Steel
V5229	1.181	Exh.	Steel
V5234	1.298	Int.	Steel
V5235	1.103	Exh.	High Alloy Steel
V5245	1.297	Int.	Steel
V5246	1.495	Exh.	Stellite
V5249	1.378	Int.	High Alloy Steel
V5250	1.185	Exh.	Stellite
V5251	1.456	Int.	Steel
V5252	1.185	Exh.	High Alloy Steel
V5253	1.457	Int.	Steel
V5254	1.220	Exh.	High Alloy Steel
V5255	1.460	Int.	High Alloy Steel
V5256	1.181	Exh.	Stellite
V5257	1.220	Int.	Steel
V5258	1.107	Exh.	High Alloy Steel
V5259	1.142	Int.	Steel
V5260	1.291	Exh.	Stellite
V5261	1.417	Int.	Steel
V5262	1.220	Exh.	High Alloy Steel
V5264	1.618	Int.	High Alloy Steel
V5265	1.378	Exh.	High Alloy Steel
V5266	1.660	Int.	High Alloy Steel
V5267	1.500	Exh.	Stellite
V5269	1.500	Exh.	Stellite
V5270	1.620	Int.	High Alloy Steel
V5271	1.382	Exh.	Stellite
V5273	1.344	Int.	Steel
V5274	1.578	Exh.	Stellite
V5275	1.575	Int.	Steel
V5276	1.338	Exh.	Stellite
V5279	1.736	Int.	Steel
V5280	1.260	Exh.	High Alloy Steel
V5284	1.338	Int.	Steel
V5285	1.164	Exh.	High Alloy Steel
V5305	1.340"	Int.	Steel

VALVE IDENTIFICATION CHART (Cont.)

Refer Head Diameter to Progressive Size Chart

Melling PartNo.	Head Diameter	Valve	Material Used
V5306	1.075"	Exh.	High Alloy
V5308	1.141	Exh.	High Alloy Steel
V5310	1.181	Int.	Steel
V5311	1.220	Exh.	High Alloy Steel
V5314	1.183	Int.	Steel
V5316	1.575	Int.	Steel
V5317	1.339	Exh.	High Alloy Steel
V5318	1.260	Int.	Steel
V5320	1.062	Exh.	High Alloy Steel
V5322	1.576	Int.	Steel
V5323	1.416	Exh.	High Alloy Steel
V5325	1.320	Int.	High Alloy Steel
V5327	1.138	Exh.	Stellite
V5328	1.770	Int.	High Alloy Steel
V5330	1.457	Exh.	High Alloy Steel
V5331	1.456	Exh.	High Alloy Steel
V5332	1.397	Int.	High Alloy Steel
V5333	1.071	Exh.	Stellite
V5335	1.733	Int.	Steel
V5336	1.418	Exh.	High Alloy Steel
V5337	1.258	Int.	Steel
V5338	1.082	Exh.	High Alloy Steel
V5342	1.475	Exh.	High Alloy Steel
V5343	1.474	Exh.	High Alloy Steel
V5344	1.783	Int.	Steel
V5345	1.516	Exh.	Stellite
V5348	1.575	Int.	Steel
V5349	1.335	Exh.	High Alloy Steel
V5350	1.573	Int.	High Alloy Steel
V5351	1.573	Int.	High Alloy Steel
V5353	1.264	Int.	Stellite
V5354	1.106	Exh.	Stellite
V5356	1.306	Exh.	High Alloy Steel
V5358	1.495	Int.	High Alloy Steel
V5364	1.227	Exh.	Stellite
V5367	1.339	Int.	Steel
V5368	1.343	Int.	Stellite
V5369	1.226	Exh.	Stellite
V5385	1.655	Int.	Steel
V5386	1.417	Exh.	High Alloy Steel
V5390	.941	Int.	Steel
V5415	1.735	Int.	Steel
V5416	1.500	Exh.	High Alloy Steel
V5417	0.276	JET	N/A
V5418	0.276	JET	N/A
V5500	1.375	Int.	N/A
V5501	1.200	Exh.	N/A
V5520	1.271	Int.	N/A
V5521	1.081	Exh.	N/A
V5522	1.575	Int.	
V5523	1.339	Exh.	N/A
V5534	1.298	Int.	N/A
V5535	1.142	Exh.	N/A
V5536	1.417	Exh.	N/A
V5541	1.339	Int.	N/A
V5542	1.142	Exh.	N/A
V5552	1.340"	Int.	Steel
V5553	1.075"	Exh.	High Alloy
V5560	1.457	Exh.	
V0399+3	1.720	Int.	Steel

Melling PartNo.	Head Diameter	Valve	Material Used
V0696+3	1.940	Int.	Steel
V1137+3	1.781	Int.	Steel
V1195+3	1.940	Int.	Steel
V1367+3	1.655	Exh.	High Alloy Steel
V1453+3	1.462	Exh.	High Alloy steel
V0696+15	1.940	Int.	Steel
V1106+15	1.172	Exh.	High Alloy Steel
V1135+15	1.452	Exh.	High Alloy Steel
V1195+15	1.940	Int.	Steel
V1266+15	1.388	Exh.	High Alloy Steel